PRESTIGEENTRIES.COM



Prestige ENTRIES

MAHOGANY / FIBERGLASS / STEEL
ENTRY DOORS

01



TRUE DIVIDED LITES / ARCH TOP

WELCOME TO PRESTIGE ENTRIES

In the business of first impressions.

Homeowners agree that the most important feature of a home's exterior is its entryway. It is the most often viewed, and it is the focal point of any exterior. Prestige's premium doors are made from rich, furniture-quality mahogany and are correct in every architectural detail. The combination of the finest materials available and superior methods of construction allows Prestige Entries to offer you an exceptional entry for your home.


DOOR SHOWN **M7231AP**

8/0 Arch Top Doors

All doors come with clear beveled insulated glass and are made of mahogany unless otherwise noted.



M7131CAP
3 LITE · 1 PANEL · CURVED BARS
8/0 5/0



M7221AP
4 LITE · 1 PANEL
8/0 5/0(A), 5/4, 6/0
Available with Flemish glass




M7231AP
6 LITE · 1 PANEL
8/0 5/0(A), 5/4(A), 6/0(A)
Available with Flemish glass



M7131AP
3 LITE · 1 PANEL
8/0 5/0, 5/4, 6/0
Available with Flemish glass



M7231CAP
6 LITE · 1 PANEL · CURVED BARS
8/0 5/0, 5/4, 6/0



M7231A-SL131A
6 LITE · 1 PANEL · 3 LITE SIDELITES
8/0 5/0 (1/0 × 3/0 × 1/0)



M7231A
6 LITE · 1 PANEL
8/0 3/0(A), 3/6
3/0 available with Flemish glass



M7232A
6 LITE · 2 PANEL
8/0 3/6(A)
Available with Flemish glass

(A) Available in alder as well. Sizes are listed as height, then available widths. Doors shown are 8/0. **TDL** = True Divided Lite.



COLLECTION 02

True Divided Lites, squared away.

Prestige Entries is proud to manufacture its products with old-world design using True Divided Lites (TDL). This method uses individual insulated glass panels, typically beveled or Flemish low-E glass, set between individual wood dividers. All square top doors are available with rectangular transoms — either one lite or any true divided lite design — and with sidelites.

DOOR SHOWN **M7231** IN A PAINTED FINISH

Square Top Doors

All doors come with clear beveled insulated glass and are made of mahogany.



M7221

4 LITE · 1 PANEL

6/8 2/6, 2/8, 3/0, 5/0, 5/4, 6/0
8/0 2/6, 2/8, 3/0, 5/0, 5/4, 6/0

3/0 available with Flemish glass



M7221-SL121

6/8 SHOWN

4 LITE · 1 PANEL · 2 LITE SIDELITES

6/8 5/4 (1/2 × 3/0 × 1/2)
8/0 5/4 (1/2 × 3/0 × 1/2)



M7221-SL150

6/8 SHOWN

4 LITE · 1 PANEL · 5 LITE SIDELITES

6/8 5/4 (1/2 × 3/0 × 1/2)
8/0 5/4 (1/2 × 3/0 × 1/2)



M7231

6 LITE · 1 PANEL

6/8 2/0, 2/6, 2/8, 3/0, 5/0, 5/4, 6/0
8/0 2/0, 2/6, 2/8, 3/0, 3/6(A), 5/0, 5/4, 6/0

3/0 available with Flemish glass



M7231-SL131

6/8 SHOWN

6 LITE · 1 PANEL · 3 LITE SIDELITES

6/8 5/4 (1/2 × 3/0 × 1/2)
8/0 5/4 (1/2 × 3/0 × 1/2)



M7231-SL150

6/8 SHOWN

6 LITE · 1 PANEL · 5 LITE SIDELITES

6/8 5/4 (1/2 × 3/0 × 1/2)
8/0 5/4 (1/2 × 3/0 × 1/2)

(A) Available in alder as well. Sizes are listed as height, then available widths. **TDL** = True Divided Lite.

Square Top, Top Rail Arch

All doors come with clear beveled insulated glass and are made of mahogany.



M7231ST
6 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 3/6, 6/0, 7/0




M7231SP
6 LITE · 1 PANEL · PAIR

6/8 5/0, 6/0
8/0 5/0, 6/0

An arch, in a square opening.


The top rail arch pairs the soft line of an arched lite with a standard square-top slab — so it fits a conventional rectangular opening, with or without sidelites and transoms.

HOW A PRESTIGE DOOR IS BUILT



True Divided Lites

Individual insulated glass panels — typically beveled or Flemish low-E glass — are set between individual wood dividers and sealed with rubber glazing, the way fine doors have always been made.



Engineered to last

Our doors are manufactured with highly split-resistant panels produced with an engineered solid core. Along with engineered stiles and rails, a Prestige Entries door is hand-crafted not only to look great on your home, but to last.



DOOR SHOWN **M7221** IN A PAINTED FINISH



COLLECTION 03

Craftsman

A Prestige Entries Craftsman door dresses up both the entrance into your home and the entryway into your life. Influenced by the English Arts and Crafts movement and inspired by the timeless appeal of fine craftsman architecture and furniture, each door is true to the style: glass panes in the upper third, separated from the paneled portion below by a thick piece of trim, with an optional dentil shelf.

DOOR SHOWN **M9322CRFT** IN A PAINTED FINISH

Craftsman Doors

Flat panels with square sticking; mahogany unless otherwise noted. Square-lite doors come with clear low-E insulated glass. Arch-lite doors come with your choice of decorative glass.



M9322CRFT
6 LITE CRAFTSMAN

6/8 3/0, 6/0
8/0 3/0(A), 3/6(A), 6/0



M9322CRFT-SL111
6 LITE CRAFTSMAN · SIDELITES

6/8 5/4
8/0 5/4



M9113CRFT
1 LITE CRAFTSMAN

6/8 3/0, 6/0
8/0 3/0, 6/0



M9113CRFT-SL111
1 LITE CRAFTSMAN · SIDELITES

6/8 5/4
8/0 5/4

OPTION



Dentil Shelf
OPTIONAL ON ANY CRAFTSMAN DOOR

DECORATIVE GLASS FOR ARCH-LITE DOORS



CR-A



CR-B



CR-B1



CR-C



CR-D



CR-E



CR-F

TRIPLE GLAZED INSULATED GLASS UNITS WITH DECORATIVE LEAD GLASS

(A) Available in alder as well. Sizes are listed as height, then available widths. Doors shown are 8/0.



COLLECTION 04

Modern

Whether you call it Modern, Contemporary or Transitional, the Prestige Entries Modern Door Collection brings the warmth of wood into your home without sacrificing design style. These architecturally correct doors are designed with clean lines, flat surfaces and square details — all with the quality and craftsmanship you expect from Prestige Entries. To truly make it your own, all doors are available with custom glass types.

DOOR SHOWN **M7140**

Modern Doors

All doors are made of mahogany. Choose any of the glass types below.



M7130
3 LITE

6/8 3/0



M7140
4 LITE

6/8 3/0, 6/0



M7180
8 LITE

6/8 3/0, 6/0



M7190
9 LITE

See price list for sizes



M7150
5 LITE

8/0 3/0, 6/0



M71100
10 LITE

8/0 3/0, 6/0



MSL140 · MSL190
MATCHING SIDELITES · 4 OR 9 LITE

See price list for sizes

Make it your own.

Every Modern door can be glazed with any of the eight glass types shown below, from clear low-E to full-privacy satin.

GLASS OPTIONS



FMG
FLEMISH



CLB
CLEAR BEVEL



AQC
AQUATEX



CL
CLEAR



CLE
CLEAR LOW-E



COG
COTSWOLD



RDG
REEDED



STN
SATIN



COLLECTION 05

Panel & Specialty

The Prestige Entries Panel and Specialty Door Collection incorporates the traditional design and warmth of a solid wood door. These doors can be designed as single units, double units, or combined with custom sidelites and transoms. All doors are available with optional V-groove details or raised moulding — really making the design your own.

DOORS SHOWN **A9120TRRVG / M9120TRA / A9120TRAVG**

Panel Doors

Mahogany or knotty alder, with optional V-groove panels or raised moulding.

SIX PANEL · MAHOGANY



M9006RM 6/8 PAIR SHOWN
6 PANEL · RAISED MOULDING

6/8 3/0, 6/0
8/0 3/0, 6/0



M9006-SL131
6 PANEL RM · 3 LITE SIDELITES

6/8 5/4 (1/2 × 3/0 × 1/2)
8/0 5/4 (1/2 × 3/0 × 1/2)



M9006-SL150 6/8 SHOWN
6 PANEL RM · 5 LITE SIDELITES

6/8 5/4 (1/2 × 3/0 × 1/2)
8/0 5/4 (1/2 × 3/0 × 1/2)

Raised moulding or V-groove.

Both details are optional on every panel door.

TWO PANEL · MAHOGANY



M9120TRA
2 PANEL · TOP RAIL ARCH

6/8 3/0, 6/0
8/0 3/0, 3/6, 6/0, 7/0



M9120TRAVG
V-GROOVE · TOP RAIL ARCH

6/8 3/0, 6/0
8/0 3/0, 3/6, 6/0, 7/0



M9120ST
2 PANEL · SQUARE TOP

See price list for sizes



M9120STVG
V-GROOVE · SQUARE TOP

See price list for sizes

TWO PANEL · KNOTTY ALDER SELECTION



A9120TRAVG
V-GROOVE · TOP RAIL ARCH

6/8 3/0, 6/0
8/0 3/0, 3/6, 6/0, 7/0



A9120STVG
V-GROOVE · SQUARE TOP

6/8 3/0, 6/0
8/0 3/0, 3/6, 6/0, 7/0



A9120TRA
2 PANEL · TOP RAIL ARCH

See price list for sizes



A9120TRRVG
V-GROOVE · RADIUS TOP RAIL

See price list for sizes

Sizes are listed as height, then available widths. 6/8 doors shown unless noted.



COLLECTION 06

Decorative & Privacy Glass

Prestige Entries Decorative and Privacy Glass Doors use insulated glass surrounding a custom, handmade leaded beveled glass design. These designs give character to an already rich and warm door and dress up the front of any home. All decorative and privacy doors come standard with a raised moulding profile on the exterior of the door, further enhancing the visual depth.

DOORS SHOWN **M801134-70 / M801123-204 / M801134-305**

Decorative & Privacy Glass

All doors are made of mahogany with raised moulding. Triple glazed insulated units with handmade leaded, beveled glass.



M801134-56
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-56



M801134-70
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-70



M801134-84
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-84



M801134-305
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-305



M801123-204
ARCH LITE · 2 PANEL

See price list for sizes



M801223-204
ARCH LITE · 2 PANEL

See price list for sizes



M80125
OVAL LITE · 2 PANEL

See price list for sizes



M801134-OP
3/4 LITE · YOUR CHOICE OF GLASS

8/0 3/0(A), 6/0



M8010
FULL LITE · YOUR CHOICE OF GLASS

6/8 3/0, 6/0

(A) Available in alder as well. Sizes are listed as height, then available widths. For open-lite doors, see glass options on page 11.



COLLECTION 07

Iron Grille

Old-world craftsmanship is what inspired our Iron Grille Collection. These designs bring an element of rustic character to our mahogany doors, each with raised moulding surrounding the grille and panel on the exterior side. For the cleanest look, Prestige integrates the grille into the glazing system rather than attaching it to the face of the door — and the grilles swing open for easy cleaning of the exterior glass.

DOORS SHOWN **M801134-611 / M801123-623 / M801134-616**

Iron Grille Doors

All doors are made of mahogany with raised moulding and an operable iron grille.



M801134-611
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-611



M801134-615
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-615



M801134-616
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-616



M801134-623
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-623



M801134-837
3/4 LITE · 1 PANEL

6/8 3/0, 6/0
8/0 3/0, 6/0
Full lite (6/8): M8010-837



M8010-615
FULL LITE · NO PANEL

6/8 3/0, 6/0



M801123-623
ARCH LITE · 2 PANEL

See price list for sizes

GLASS OPTIONS



FMG
FLEMISH



AQC
AQUATEX



COG
COTSWOLD



RDG
REEDED

Opens for cleaning

The iron grille is built into the glazing system, not fastened to the face of the door. It swings open to the outside so the exterior glass is easy to reach.

Sizes are listed as height, then available widths. 6/8 doors shown.

Multi-Point Hardware

PanoLock™ multi-point lock by Endura Products.



THE NEW GENERATION OF MULTI-POINT LOCKS

Performance meets style.

PanoLock is a one-of-a-kind multi-point lock that works with off-the-shelf hardware, supports a forgiving installation, and offers lasting performance, all at an affordable price point.



WORKS WITH OFF-THE-SHELF HARDWARE

No hardware constraints

Use your choice of most off-the-shelf hardware.

Enhanced performance

Two tapered locks enhance performance while reducing operation force.

Flexibility

PanoLock can be used for both inswing and outswing doors.

Three times stronger

All the strength and security of a traditional multi-point locking system.

Single operation system

Most multi-point locks require extra steps to lock the door. With PanoLock's latch and deadbolt adapters, simply turn the thumbturn to lock.

PanoLock is a trademark of Endura Products. enduraproducts.com

Details & Accessories

See the website for more details, warranty, and care and finishing instructions.

EVERY DOOR

- Slabs, pre-hung or KD (knocked down)
- 4-9/16" or 6-9/16" jambs
- All exterior doors are 1-3/4" thick
- Raised panel standard
- Raised moulding optional
- Optional 3" interior casing
- Clear beveled IG glass
- Triple pane decorative glass
- Double bore with 2-3/8" backset, 5-1/2" on center

STANDARD JAMB KIT

Does not include machining; shipped loose. Arched units are dadoed and prefit.

- **Single door:** jambs (2 side jambs, 1 header), brickmould (2 legs, 1 header)
- **Double door:** jambs (2 side jambs, 1 header), T-astragal, brickmould (2 legs, 1 header)
- **Single door, 2 sidelites:** jambs (2 side jambs, 1 header), brickmould (2 legs, 1 header), 2 mull posts
- **Double door, 2 sidelites:** jambs (2 side jambs, 1 header), T-astragal, brickmould (2 legs, 1 header), 2 mull posts

Standard prehanging

Jamb kit plus: hinge mortising and 4" × 4" oil rubbed bronze hinges (3 for 6'8" doors and 4 for 8'0" doors), lock boring, latch drilling, faceplate routing, strike plate preparation for full lip strike (exact specifications per signed pre-hang machining form), weather-stripping, bronze door sweep/bottom, fixed bronze PVC threshold, and T-astragal mortising and installation of flush bolts (footer and header — 7" for 6'8" and 15" for 8'0"). Can be shipped as a unit or KD (knocked down).

ACCESSORIES



Clavos — Round
1-1/2"



Clavos — Diamond
1-1/2"



Iron Speakeasy
With IG clear glass, 8-3/8" × 10-3/4"



Grille G-2
12" × 16"



Straps HSC-18
17-3/4" × 2-3/8"



Hinges
Oil rubbed bronze or satin nickel



Interior Casing
3-1/4" 9E solid



Flat Casing
1×4 for exterior and interior



Brickmould
WM180, 2" × 1" veneered



T-Astragal



Inswing Threshold



Alder



Mahogany



Raised Moulding



COLLECTION 08

Fiberglass, by Mastergrain.

Alongside its wood collections, Prestige Entries offers MASTERGRAIN™ fiberglass. Every panel is molded from real wood master models to deliver depth, texture and authenticity, in six grains and textures. The fiberglass panels and components won't warp, rust or rot, and they resist splitting, cracking and insects — beauty and performance that stand the test of time, backed by a limited lifetime warranty.

DOOR SHOWN **MASTERGRAIN TRADITIONAL CLASSIC** IN CHERRY GRAIN

Built Like No Other Door

MASTERGRAIN engineers its own tooling and produces every critical component in-house, from door skins and lite frames to cladding for brickmold, jambs and mullposts.



The anatomy of a Mastergrain door

- **Fiberglass skin.** Glass fiber reinforced polyester sheet molded compound (SMC), 0.090" thick; certain styles available in 0.175" for engraving and inlays
- **Deep definition.** Sharp, distinctive embossment molded from real wood
- **Foam core.** CFC-free polyurethane
- **Stiles.** 4-1/16" wide, full-length engineered wood with hardwood edge cap on both sides
- **Rails.** Rot-resistant wood-plastic composite (WPC) top rail and kerfed bottom rail
- **Door lite frame.** One-piece molded fiberglass, with composite glass stop
- **Divided lites.** Fiberglass molded simulated divided lites (SDL)
- **Frame.** Fiberglass cladded composite jambs and brickmold, and composite mullposts with aluminum reinforcement

Every component is cladded with the same fiberglass material, so it accepts stain evenly — consistent tone, depth and wood realism across the entire system.

SIX GRAINS AND TEXTURES



Cherry



Fir



Knotty Alder



Mahogany



Oak



Edge Smooth

Performance tested

MASTERGRAIN panels are independently tested and verified to meet rigorous performance standards — from energy efficiency and thermal performance to structural integrity and weather resistance, including strong winds, windborne debris and coastal moisture.

FLORIDA PRODUCT APPROVALS

Non-impact	#FL13320
Impact	#FL21852
HVHZ	#FL21852.19*, #FL21852.49*

*Tested with opaque 3'-6" × 8' outswing. NAFS and ENERGY STAR® Canada certified. Limited lifetime warranty.

Contemporary

Engraved or stainless inlay designs in Cherry (C), Oak (O) or Edge Smooth (E). Model numbers are shown as the 6'-8" and 7' door / the 8' door, and take the grain prefix — for example C500 / C550.




Clean lines, cut into the door.

Grooves are engraved into the fiberglass skin, or inlaid with gold, black or stainless strips. Engraving and inlays stop before the door edge for air and water protection.

MODELS	HEIGHTS	WIDTHS	SIDELITES
Engraved	6'-8", 7', 8'	32", 34", 36", 42"	10", 12", 14", 16"
Stainless inlay	6'-8", 7', 8'	32", 34", 36", 42"	10", 12", 14", 16"

499 / 599 also available in 30" and with 0.175" thick skins · 2-1/4" slab thickness available for doors without glass · Black mirrored inlay available for C615 / C665 only · Inlay designs are not offered in custom sizes

ENGRAVED



499 / 599
FLUSH

124 / 154
SMALL V GROOVE

125 / 155
DEEP V GROOVE

907 / 957
DEEP V GROOVE

908 / 958
DEEP V GROOVE

500 / 550
SHADOW GROOVE

501 / 551
SHADOW GROOVE

528 / 553
SHADOW GROOVE



536 / 552
SHADOW GROOVE

900 / 950
DEEP V GROOVE

901 / 951
DEEP V GROOVE

902 / 952
DEEP V GROOVE

903 / 953
DEEP V GROOVE

905 / 955
DEEP V GROOVE

906 / 956
DEEP V GROOVE

STAINLESS INLAY



601 / 608
INLAY PROFILE A

602 / 609
INLAY PROFILE A

603 / 610
INLAY PROFILE A

604 / 611
INLAY PROFILE A

605 / 612
INLAY PROFILE A

606 / 613
INLAY PROFILE A

607 / 614
INLAY PROFILE B

615 / 665
INLAY PROFILE C

Not engineering drawings; for reference only. Custom engraved designs are available, subject to engineering review.

Traditional · Classic

Colonial embossed panels in Cherry (C), Oak (O) or Mahogany (M), with stepped traditional door lite frames and colonial SDLs.



Timeless panel designs.

Six-panel, two-panel and planked designs, each offered solid or with a wide range of door lite cutouts and matching sidelites.

MODELS	HEIGHTS	WIDTHS	SIDELITES
C200 · O277 · M247	6'-8", 7'	32", 34", 36"	12", 14", 16"
C220 · O294 · M262	6'-8", 7'	32", 34", 36"	12", 14", 16"
C215 · O292	6'-8", 7'	34", 36"	12", 14", 16"
C233 · C234 · O308 · O309	6'-8", 7'	32", 34", 36"	12", 14", 16"
C250	8'	32", 34", 36"	12", 14", 16"
C217 · C218 · C219	8'	42"	12", 14", 16"

2-1/4" slab thickness available for doors without glass · 10" flush panel sidelites available in Cherry (C498) and Oak (O498)

PANELS



C200 · O277 · M247



C220 · O294 · M262



C215 · O292



C233 · O308



C234 · O309



C250



C217



C218
3 PLANK

DOOR LITE OPTIONS (A SELECTION)



C219
5 PLANK



14×37 Oval



22×48 CT



6 Lite 22×48 CT



22×36



9 Lite 22×36



22×64



10 Lite 22×64

SIDELITES (A SELECTION)



C-SL-48 · O-SL-48 · M-SL-48



1 Lite 8×48



3 Lite 8×48



Prairie 8×48



C-SL-36 · O-SL-36 · M-SL-36



8×36



8×64



5 Lite 8×64

SDLs and frames must be ordered for both the exterior and interior side of the door.

Traditional · Rustic

Rustic colonial embossed panels in Knotty Alder (KA) with molded knot detail, or in Cherry (C). CT = camber top.



Character, without the upkeep.

Two-panel and five-plank designs with square or camber tops, offered solid or with door lites and matching sidelites.

MODELS	HEIGHTS	WIDTHS	SIDELITES
KA165 · KA166	8′	32″, 34″, 36″	12″, 14″, 16″
KA159 · KA160	6′-8″, 7′	32″, 34″, 36″	12″, 14″, 16″
C144 · C145	8′	32″, 34″, 36″	12″, 14″, 16″
C100 · C101	6′-8″, 7′	32″, 34″, 36″	12″, 14″, 16″

2-1/4″ slab thickness available for doors without glass · 10″ flush panel sidelites available in Cherry (C498)

KNOTTY ALDER



KA165



KA166
5 PLANK



CT KA166
5 PLANK



KA159



KA160
5 PLANK



22×48 CT



6 Lite 22×48 CT



22×64

CHERRY



C144



C145
5 PLANK



CT C145
5 PLANK



C100



C101
5 PLANK



Camber
5 PLANK



Camber 22×48 CT



14×37 Oval

SIDELITES (A SELECTION)



KA-SLR



8×48



3 Lite 8×48



C-SLR-64




8×64



5 Lite 8×64



C-SLR-48



Prairie 8×48

SDLs and frames must be ordered for both the exterior and interior side of the door.

Craftsman & Shaker

Craftsman in Fir (F) or Edge Smooth (E) with an optional integrated dentil shelf; Shaker in Edge Smooth, ready for paint.



Simple, square and true.

Exclusive to MASTERGRAIN: a one-piece molded door lite frame and Craftsman dentil shelf, in woodgrain Fir and Edge Smooth.

MODELS	HEIGHTS	WIDTHS	SIDELITES
F300 · E721	6'-8", 7'	34", 36"	12", 14", 16"
F350	8'	34", 36"	12", 14", 16"
E736 · E746 · E904 · E954	6'-8", 7', 8'	34", 36"	12", 14", 16"
E800	6'-8", 7'	34", 36"	—

2-1/4" slab thickness available for doors without glass · Matching Craftsman sidelite available in Fir only · E904 / E954 engraved with ball groove profile

CRAFTSMAN



F300 · E721

23-3/4×15

3 Lite 23-3/4×15

6 Lite 23-3/4×15

F350

23-3/4×19-1/4

4 Lite 23-3/4×19-1/4

6 Lite 23-3/4×19-1/4

SHAKER



E736

E904
ENGRAVED

22×36

6 Lite 22×36

E746

E954
ENGRAVED

22×48

E800

SIDELITES (A SELECTION)



F-SL-2P 8×15

2 Lite H 8×15

8×64

Craftsman 8×64

E737

8×36

E747

8×48

SDLs and frames must be ordered for both the exterior and interior side of the door.

YourStyle™

A one-panel shaker door with simulated divided lites (SDLs) applied to create custom patterns, on solid or glazed panels. In Fir (F) or Edge Smooth (E).



One panel, many designs.

The system is supplied as components — standard panels, lineal SDL lengths and layout drawings — so many designs can be built from the same stocked material.

MODELS	HEIGHTS	WIDTHS	SIDELITES
F801, F862–F875	8′	34″, 36″	—
800, 822–835 (F or E)	6′-8″, 7′	34″, 36″	—
E705 flush door lite	8′	34″, 36″, 42″	—

SDL bars available in 3-1/2″ and 5-1/8″ widths · 2-1/4″ slab thickness available for doors without glass

8′ ONE-PANEL SHAKER · FIR



F801



F862



F863



F864



F865



F866



F867



F868




F869



F871




F872



F873



F874



F875



F801 22×80
DOOR LITE



F869 22×80
DOOR LITE

6′-8″ AND 7′ ONE-PANEL SHAKER · 8′ FLUSH DOOR LITE



800



822



826



829



833



800 22×64
DOOR LITE



E705 22×80
FLUSH




3H 22×80
FLUSH

The 6′-8″ and 7′ range repeats the 8′ patterns: 800 and 822 through 835, with an F or E prefix.

Contemporary · Edge Smooth

An ultra-smooth, paint-ready surface with Edge Smooth embossment, stepped contemporary door lite frames and contemporary SDLs.



Made for paint.

Panel, flush and door lite designs for black, deep grey, bronze and other dark painted finishes.

MODELS	HEIGHTS	WIDTHS	SIDELITES
E701 · E703 · E704	6'-8", 7'	32", 34", 36"	12", 14", 16"
E703 · E705 · E707	8'	32", 34", 36", 42"	12", 14", 16"
E700 · E706 · E702 · E708	6'-8", 7', 8'	32", 34", 36"	12", 14"

2-1/4" slab thickness available for doors without glass · E701 not available in 8' · 28×80 door lite for 42" × 8' slab only

PANELS AND DOOR LITES (A SELECTION)



E701



22×17 Glass 1



22×17 Glass 3



E703




8×64 C



E705



8×80 C



22×3.5 Glass 5



E700 / E706



22×48 / 22×64



6 Lite



10 Lite



E703 22×64 / E705 22×80



10 Lite 22×64 / 22×80




28×80




15 Lite 28×80

DOOR LITE FRAMES




Stepped · Contemporary
EDGE SMOOTH



Stepped · Traditional
CHERRY, MAHOGANY, OAK, KNOTTY ALDER



Flush · Edge Smooth
EDGE SMOOTH



Flush · Fir
FIR

SDLS AND FRAME COMPONENTS

- One-piece molded door lite frames, plugless or plugged
- Molded SDLs: Colonial in Alder, Oak and Mahogany/Cherry; Contemporary in Fir and Edge Smooth, 3-1/2" or 5-1/8" wide
- Fiberglass cladded composite jambs: 4-9/16", 6-9/16", 7-5/8"
- Fiberglass cladded composite brickmold: 2" standard or 3-3/4" Fir profile
- Composite mullposts with aluminum reinforcement, transom sills and glass stops

SDLs and frames must be ordered for both the exterior and interior side of the door. Frame and component size and availability depend on grain and model.



COMING SOON


Keystone Series

A second fiberglass line is on the way. Where Mastergrain is the premium choice, the Keystone Series is made for builders and production homes: a short list of proven designs, kept simple. The first five doors are Cove, Creek, Crest, Juniper and Flint. Sizes, finishes, glass and availability will be announced at launch.


ILLUSTRATIONS **CREEK / COVE / FLINT**

Keystone Series


Coming soon. The doors below are illustrations, not photographs; sizes, finishes, glass and availability are still to be announced.




Cove
2 PANEL · SQUARE TOP




Creek
3/4 LITE · 1 PANEL



Crest
3/4 LITE · 1 PANEL · DIVIDED LITES



Juniper
2 PANEL SHAKER



Flint
3/4 LITE · 1 PANEL · GRILLES

The same door, down the whole street.

A companion to Mastergrain for projects where value and availability come first. Ask your Prestige Entries representative for the launch date, the stocked sizes and the finish options.

Details on this page are preliminary and subject to change before launch.



COLLECTION 10

Steel, hand forged.

Prestige Steel doors and windows are hand forged from 12-gauge steel, foam filled, and wet glazed with clear low-E insulated glass. Choose the stock program — three sizes in black, ready in two to three weeks — or have doors, windows, pivot doors and specialty units built to order.

SHOWN **PRESTIGE STEEL ENTRY AND WINDOWS**

Stock Steel Program

Three sizes, in black, ready to ship. Hand forged from 12-gauge steel with true divided lite bars.



In stock, in two to three weeks.

Inswing units in black with a 6″ jamb and fixed inswing sill, bored for standard hardware.

STOCK UNIT	SIZE	ACTUAL SIZE
Single door	3-0 × 8-0	39″ × 96″
Double door	5-0 × 8-0	63″ × 96″
Double door	6-0 × 8-0	75″ × 96″

The sidelite unit in the photograph is a custom order.



Double door
5-0 × 8-0 · 6-0 × 8-0



Single door
3-0 × 8-0

STOCK SPECIFICATION

- 12 ga. steel, foam filled; hand forged
- 2″ × 1-3/16″ panel with 2″ jamb
- 1-3/16″ TDL bars
- 5/8″ overall clear low-E insulated glass, wet glazed
- Black finish; black compression weatherstrip
- Inswing, 6″ jamb width, fixed inswing sill
- Double bore: 5-1/2″ on center, 2-1/8″ bore, 2-3/4″ backset
- Barrel hinges with grease fitting
- Through-jamb installation with black plugs

Lead time: 2–3 weeks

Subject to the regular freight and shipping schedule.

LIMITED WARRANTY

General	5 years
Paint	1 year
Insulated glass	5 years

Prestige Steel · prestigesteel.com · office@prestigesteel.com · (985) 340-0902

Custom Steel Program

Doors, windows and specialty units built to your opening.



Built to order.

Every custom unit starts from the same 12-gauge, foam-filled steel construction.

CUSTOM UNITS	OPTIONS
Steel doors	Single, double, with sidelites and transoms
Pivot doors	With pivot hardware
Fixed or casement windows	
Folding or awning windows	With awning hardware
Thermally broken	Available on request

STANDARD SPECIFICATIONS AND OPTIONS

STEEL	12 gauge, foam filled
GLAZING	Wet glazed with internal glass stop
GLASS STOP	Square stop, or angled stop (putty glaze style)
LOW-E GLASS	VLT 72% / SHGC .56 / U .33
DIVIDED LITE	TDL or SDL; 1" is the smallest
SILL	Inswing with dam, outswing, or ADA
JAMB	8" and larger available
PULL HANDLE	Available

INSTALL METHOD	Through-jamb anchors for 7/16" lag bolts; 2" mounting tabs set 1/2" back from interior; or nail fin set 1-1/4" back from exterior
STANDARD PREP	5-1/2" on center, 2-3/4" backset, 2-1/8" diameter bore
ASTRAGAL	Edge mounted with head and foot bolts; top extension 72" from bottom of door. Strike plates by others, surface mounted
SEAL	Door sweep and compression weatherstrip included
PROFILE	Corners of stile, rail and jamb are rolled, not broken; they will not be sharp 90° corners

Lead time: 16–18 weeks from deposit

Subject to the regular freight and shipping schedule.

LIMITED WARRANTY	
General	5 years
Paint	1 year
Insulated glass	5 years

Prestige Steel · prestigesteel.com · office@prestigesteel.com · (985) 340-0902

Traditional Steel Door Details

Glass stops, roller catch, hinge, inswinging glass panel, raised panel, threshold and jamb.



Prestige Steel · prestigesteel.com · office@prestigesteel.com · (985) 340-0902

Modern Steel Door Details

Glass stops, roller catch, hinge, threshold and jamb.



Prestige Steel · prestigesteel.com · office@prestigesteel.com · (985) 340-0902

Specialty Windows

Bi-folding, fold-up and awning windows that open a kitchen or bar to the outdoors.

BI-FOLDING





FOLD-UP





AWNING





STANDARD SPECIFICATIONS AND OPTIONS

ALUMINUM	Thermally broken available
GLAZING	Wet glazed with internal glass stop
GLASS STOP	Square stop, or angled stop (putty glaze style)
LOW-E GLASS	VLT 72% / SHGC .56 / U .33

JAMB	Extensions available
HARDWARE	Handles, latches and folding hardware
INSTALL METHOD	Through-jamb anchors, 2" mounting tabs, or rigid nailing fin
SCREEN	Retractable screens available

Lead time: 16–18 weeks from deposit

Subject to the regular freight and shipping schedule.

LIMITED WARRANTY	
General	5 years
Paint	1 year
Insulated glass	5 years

Prestige Steel · prestigesteel.com · office@prestigesteel.com · (985) 340-0902

Prestige ENTRIES

WHOLESALE ONLY TO DISTRIBUTORS AND DEALERS

VISIT

Prestige Entries
401 Northpointe Ct, Ste 100
Covington, LA 70433

CONTACT

(985) 340-0902
sales@prestigeentries.com
prestigeentries.com

2026